



INVESTOR IN PEOPLE

The Patent Office  
Concept House  
Cardiff Road  
Newport  
South Wales  
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

I also certify that the attached copy of the request for grant of a Patent (Form 1/77) bears an amendment, effected by this office, following a request by the applicant and agreed to by the Comptroller-General.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.




Signed

Dated 5 February 2004

**THIS PAGE BLANK (USPTO)**

Patents

Patents Act 1977  
(Rule 15)**The  
Patent  
Office****Statement of inventorship and of  
right to grant of a patent****The Patent Office**Cardiff Road  
Newport  
South Wales  
NP23 1RH

1. Your reference **P103754GB**
2. Patent application number  
(if you know it) **0324987.7** **27 OCT 2003**
3. Full name of the or of each applicant **Zoo Digital Group plc**
4. Title of the invention **Data Processing System and Method**
5. State how the applicant(s) derived the right  
from the inventor(s) to be granted a patent  
**By virtue of employment**
6. How many, if any, additional Patents Forms  
7/77 are attached to this form?  
(see note (c))
7. I/We believe that the person(s) named over the page (and on  
any extra copies of this form) is/are the inventor(s) of the invention  
which the above patent application relates to.  
Signature **Harry Hutchinson** Date **27 October 2003**
8. Name and daytime telephone number of  
person to contact in the United Kingdom **Harry Hutchinson** **0114 274 3702**

**Notes**

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there are more than three inventors, please write the names and addresses of the other inventors on the back of another Patents Form 7/77 and attach it to this form.
- d) When an application does not declare any priority, or declares priority from an earlier UK application, you must provide enough copies of this form so that the Patent Office can send one to each inventor who is not an applicant.
- e) Once you have filled in the form you must remember to sign and date it.

**Patents Form 7/77**

## Patents Form 7/77

Enter the full names, addresses and postcodes of the inventors in the boxes and underline the surnames

GREEN, Stuart Antony  
191 Millhouses Lane  
Sheffield  
S7 2HF

8613325001

Patents ADP number (if you know it):

KNIGHT, Richard Allan  
44 Watt Lane  
Sheffield  
S10 5RB

8741324001

Patents ADP number (if you know it):

Reminder

Have you signed the form?

Patents ADP number (if you know it):

Patents Form 7/77

Patents Form 1/77

Patents Act 1977  
(Rule 16)

THE PATENT OFFICE

RM

27 OCT 2003

RECEIVED BY FAX

The  
Patent  
Office27OCT03 E847543-1 002973  
P01/7700 0.00-0324987.7**Request for grant of a patent***(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)*

The Patent Office

Cardiff Road  
Newport  
South Wales  
NP9 1RH**1. Your reference**

P103754GB

**2. Patent application number***(The Patent Office will fill in this part)*

0324987 7

27 OCT 2003

**3. Full name, address and postcode of the or of each applicant (underline all surnames)**Zoo Digital Group plc  
Parkhead House  
26 Carver Street  
Sheffield  
S1 4FS

8374001001

Patents ADP number *(if you know it)*

If the applicant is a corporate body, give the country/state of its incorporation

United Kingdom

**4. Title of the invention**

Data Processing System and Method

**5. Name of your agent (if you have one)**

Harry Hutchinson

*"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)*Harrison Goddard Foote  
Fountain Precinct  
~~Leopold Street~~ BALM GREEN  
Sheffield  
S1 2QB JAPatents ADP number *(if you know it)*

7914237001

GLOBAL MB  
29.12.03**6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number**

Country

Priority application number  
*(if you know it)*Date of filing  
*(day / month / year)***7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application**

Number of earlier application

Date of filing  
*(day / month / year)***8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:**

a) any applicant named in part 3 is not an inventor, or

b) there is an inventor who is not named as an applicant, or

c) any named applicant is a corporate body.

See note (d))

yes

Patents Form 1/77

## Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

## Continuation sheets of this form

Description	11	/
Claim(s)	3	/
Abstract	1	/
Drawing(s)	5	/

10. If you are also filing any of the following, state how many against each item.

## Priority documents

## Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77) 1 /

Request for preliminary examination and search (Patents Form 9/77) 1 /

Request for substantive examination (Patents Form 10/77) 1 /

Any other documents  
(please specify)

11. I/We request the grant of a patent on the basis of this application.

Signature *Harry Hutchinson*

Date

27 October 2003

12. Name and daytime telephone number of person to contact in the United Kingdom

Harry Hutchinson

0114 274 3702

## Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

## Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

Patents Form 1/77

## DUPLICATE

## DATA PROCESSING SYSTEM AND METHOD

Field of the Invention

The present invention relates to a data processing system and method and, more particularly, to a data processing system and method for merging digital content.

Background to the Invention

Current DVD-Video authoring tools use some form of user interface to define a project for producing a DVD-Video disc image, that is, for producing the data structures and navigation information for such a DVD-Video disc. Ultimately such authoring tools eventually multiplex the video, audio and sub-picture parts, that is, the DVD assets, in accordance with the DVD-Video specification and format the resulting files together with the associated navigation information to yield a DVD-Video disc image.

A significant limitation of prior art DVD authoring systems is that the authors must, or usually, use the same authoring tools for any given project. It will be appreciated that the situation is exacerbated if one contemplates creating a DVD or marshalling the assets to create a DVD-Video disc image using different authoring tools. Many authoring companies or facilities will use their preferred authoring tools. For example, a popular authoring tool is Scenarist available from Sonic Solutions. However, there are some aspects of the DVD specification such as, for example, seamless branching, that the Scenarist authoring tool does not support. Therefore, if an authoring company or facility is asked to undertake a project for which seamless branching is required, they will have to either decline that project or use a specialist tool with which they might be unfamiliar to author the DVD-Video disc image. It will be appreciated by those skilled in the art that using such an alternative authoring tool could be expensive, time consuming and inefficient as the company may only have one person, or a small number of people, who are familiar with the specialist authoring tool.

It is an object of embodiments of the present invention at least to mitigate some of the problems of the prior art.

#### Summary of Invention

Accordingly, a first aspect of embodiments of the present invention provides a method for merging first and second data associated with first and second DVD-Video zone directories respectively; the method comprising the steps of: identifying the registers used by at least one of the first and second data; allocating use of the registers to at least one of the first and second data according to said identifying; and creating data associated with video manager information (VMGI) of the DVD-video disc image data to accommodate at least one of the first and second DVD-Video zones.

Advantageously, multiple authoring tools can be used to create or to author a single DVD-Video disc image or project.

A further advantage of embodiments of the present invention is that multiple authors can collaborate to work on the same project, either using separate copies of the same authoring tool, or using different authoring tools with the end products being merged using embodiments of the present invention.

Preferred embodiments provide a method comprising the step of collating the first and second data to produce DVD-Video data.

At least one of the first and second data comprises at least one of a Group of Picture, a Video Object, a Video Object Set, a Video Object Unit, a Cell, Program, Part\_of\_Title, Program Chain, Title, Navigation Pack, Video Pack, Audio Pack or DVD-Video disc image data.

Preferably, embodiments provide a method in which the step of creating comprises creating menu data of video manager menu data (video\_ts.vob) to access at least one of the first and second data.

Preferred embodiments provide a method further comprising the step of establishing a backup copy of the data associated with



the video manager information.

Embodiments provide a method in which the step of establishing a backup copy of the data associated with the video manager information comprises the step of creating VMGI backup  
5 information (video\_ts.bup).

Preferred embodiments provide a method in which the first and second data were created using respective, different, authoring tools or by different authors using the same tool.

Embodiments provide a method further comprising, prior to the  
10 step of identifying, the step of determining whether or not at least one of the first and second data has associated copy protection.

Embodiments are provided in which the step of creating the first data using a respective authoring tool and performing  
15 the steps of any preceding claim using that respective authoring tool.

It will be appreciated that embodiments also provide a system for implementing such methods or methods as described in this specification. Suitably, for example, an aspect of  
20 embodiments of the present invention provides a first aspect of embodiments of the present invention provides a system for merging first and second data associated with first and second DVD-Video zone directories respectively; the system comprising an identifier to identify registers or resources used by at  
25 least one of the first and second data; an allocator to allocate use of the registers or resources to at least one of the first and second data according to an output of the identifier; and a creator to create data associated with video manager information (VMGI) of the DVD-video disc image data to  
30 accommodate at least one of the first and second DVD-Video zones. A still further aspect of embodiments of the present invention provides a system for merging first and second data associated with first and second DVD-Video zone directories respectively; the system comprising means to identify the  
35 registers used by at least one of the first and second data;

means to allocate use of the registers to at least one of the first and second data according to said identifying; and means to create data associated with video manager information (VMGI) of the DVD-video disc image data to accommodate at least one of the first and second DVD-Video zones.

A further aspect of embodiments of the present invention provides a method for merging first and second video data (VTSS); the method comprising the steps of: assessing potential use of a predeterminable resource by at least one of the first and second video data; allocating use of the predeterminable resource to at least one of the first and second video data according to the step of assessing; collating the first and second video data to create DVD-Video data; and creating data associated with video manager information (VMGI) of the DVD-Video data to accommodate at least one of the first and second video data.

Embodiments provide a data processing method in which the predeterminable resource is at least one of GPRM registers, titles and part titles.

Embodiments can be realised in the form of software. The software can be carried using any appropriate medium such as, for example, optical media like DVD, CD-ROM, magnetic media or using devices like ROMs or other programmable devices. Suitably, embodiments provide a computer program comprising executable code to implement a method or system as described or claimed in this specification. Preferred embodiments provide a computer program product comprising storage storing such a computer program.

Further aspects of embodiments of the present invention provide a method for merging first and second DVD-Video zone directories (VIDEO\_TS); the method comprising the steps of: identifying the use of GPRM registers by at least one of the first and second DVD-Video zones; allocating use of the GPRM registers to at least one of the first and second DVD-Video zones according to said identifying; collating the first and

5

second DVD-Video zones to create DVD-video disc image data; and creating data associated with video manager information (VMGI) of the DVD-video disc image data to accommodate at least one of the first and second DVD-Video zones.

#### 5 Brief Description of the Drawings

Embodiments of the present invention will now be described, by way of example only, with reference to the accompanying drawings in which:

10 figure 1 shows schematically a file structure illustrating the format of the data units forming a DVD-video disc image;

figure 2 illustrates schematically incorporation of video title sets into a DVD-Video disc image having a video manager and accompanying video title sets;

15 figure 3 depicts a flowchart for merging DVD-Video according to a first embodiment;

figure 4 illustrates an embodiment of the present invention for incorporating a video manager and associated video title sets into further video title sets; and

20 figure 5 shows a flowchart for merging DVD-Video according to a second embodiment.

#### Detailed Description of Preferred Embodiments

Referring to figure 1 there is shown schematically a file structure 100 of a DVD-video file system. It can be appreciated that a root node 102 has a DVD-Video zone 104.

25 The DVD-Video zone 104 has a folder or directory named VIDEO\_TS 105 comprising information in the form of video manager information 108. The video manager information 108 comprises data representing or associated with a video manager (VMG) or from which such a VMG can be derived. The video

30 manager information 108 has associated video manager menu information 110 that, typically, contains the initial menu presented to a user upon inserting a DVD into a DVD player.

Also illustrated is the conventional video manager information (VMGI) back-up 112. The DVD-Video zone 104 comprises data 114 representing video title sets (VTS1 to VTS99) that contain control data, menu data, title VOBs (Video Objects comprising  
5 MPEG encoded video data, audio data, sub-picture data and navigation information) and backup information. It can be appreciated that a number of video title sets VTS1 to VTS99 comprising such data are illustrated. The data 114 representing each video title set of such video title sets  
10 VTS1 to VTS99 are represented by data arranged in groups of files. It will be appreciated that two groups of data 114a and 114b, representing two video title sets VTS1 and VTS99, are illustrated.

The groups of data 114a and 114b representing the video title  
15 sets VTS1 to VTS99 comprise files 116 and 126 containing, or representing, video title set information (VTSI), having control data, files 118 and 128 representing, or containing, video object sets for menu, if appropriate, of corresponding video title sets VTS1 to VTS99, files representing 120 to 122  
20 and 130 to 132, or containing data for, a number of title video objects (Title VOBs), which contain the video, audio, sub-picture data and navigation data, and files 124 and 134 containing data representing video title set back-up information (VTSI Backup). The file system 100 illustrated in  
25 figure 1 is used by the presentation engine and the navigation manager to render video and audio in accordance with signals received from a remote control when playing a DVD.

Referring to figure 2, there is shown schematically a process  
200 for merging DVD-Video data according to a first  
30 embodiment. It can be appreciated that a first set of DVD-video data 202 comprises a video manager 204 and associated first and second video title sets 206 and 208. It will be appreciated that the first set 202 of DVD-Video data has been shown as comprising two VTSS. However, any other number, up  
35 to a maximum of 99 VTSS with current technology, could equally well be used by embodiments. In the example illustrated, it is desired to incorporate a second set 210 of video title

sets, comprising, for illustrative purposes only, two video title sets 212 and 214 authored by a different authoring tool or a different author using the same authoring tool to the one used to produce the first set of DVD-video image data 202. It will be appreciated that any other number of VTSSs could be merged into the first set 202 according to requirements, up to a maximum of 99 according to the limits of current technology.

Referring to figure 3, there is shown a flowchart 300 for incorporating the second set 210 of video title sets 212 and 214 into the DVD-Video data 202 according to an embodiment. At step 302, a determination is made as to whether or not the second set 210 of DVD-Video data or the first set 202 of DVD-Video image data has been subjected to some form of content protection such as, for example, the protection provided by a Content Scrambling System (CSS). If the determination at step 302 is that content protection (CSS) is effective, processing terminates with an optional message being output at step 304 indicating that the two sets of DVD-Video data 202 and 210 cannot be merged due to content protection being effective.

However, if the determination at step 302 is that content protection is not effective, or has not been applied to either of the DVD-Video data sets 202 and 210, a check is made at step 306 to determine if the video contained within the video title sets 206, 208, 212 and 214 is compatible, that is, a check is performed to ensure that they all conform to one of the NTSC or PAL standards. If the determination at step 306 shows that the video contained within, or represented by, the video title sets 206, 208, 212 and 214 are incompatible, a message is output at step 308 to that effect and processing terminates.

However, if the video contained within, or represented by, the video title sets 206, 208, 212 and 214 are compatible, processing proceeds to step 309a, where it is determined if the total number of VTSSs in the resulting merged DVD-video data would exceed a predetermined limit, which is 99 according to current technology, but which could equally well be some

other limit. If it is determined that the total number of VTSSs would exceed the predetermined limit, a message to that effect is output at step 309b. If it is determined that the total number of VTSSs would not exceed the predetermined limit, processing proceeds to step 310 where the use of the general parameters registers (GPRMs) of the first 206 and second 208 video title sets of the first set 202 of DVD-Video data is determined.

At step 312, the GPRM registers not used by the first 206 and second 208 video title sets are deemed to be available for use by the first 212 and second 214 video title sets of the second set 210 of DVD-Video data.

The first 212 and second 214 video title sets of the second set 210 of DVD-Video image data are incorporated into or integrated into the first set 202 of DVD-Video image data at step 314. The video manager 204 is amended, at step 316, to include references to the newly incorporated first 212 and second 214 video title sets to allow those video title sets to be accessed in an appropriate manner from a menu, if provided, associated with the video manager 204. Steps 314 and 316 might be realised, for example, by copying files representing, or associated with, the first 212 and second 214 VTSSs into an output area used by an authoring tool for authoring operations, and by adding to the VMG 204 of the first set of DVD-Video data 202 (contained in VIDEO\_TS.IFO and VIDEO\_TS.BUP) attributes of, or associated with, the new VTSSs 212 and 214.

It will be appreciated by those skilled in the art that step 314 comprises identifying the appropriate entry points and exit points for the first 212 and second 214 video title sets of the second set 210 of DVD-Video image data. Still further, the incorporation performed at step 314 comprises the step of modifying the exit points of the first 212 and second 214 video title sets of the second set 210 of DVD-video image data so that control is returned to the video manager 204 as appropriate.

Referring to figure 4, there is shown schematically the construction 400 of DVD-Video data from a first set 402 of DVD-Video data produced using a respective authoring tool and a second set 404 of DVD-Video data produced using a different authoring tool or using a copy of the same authoring tool used by a different author. It can be appreciated that the first set 402 of DVD-Video data comprises first 406 and second 408 video title sets. Again, it will be appreciated that two VTSS have been shown for illustrative purposes only. Any number of VTSS could be processed in practice, subject to limits imposed by technical standards that might prevail from time to time. The second set 404 of DVD-Video data comprises a video manager 410 and respective first 412 and second 414 video title sets. Once again, two VTSS have been used for illustrative purposes only. In the embodiment shown, the second set 404 of DVD-Video data is incorporated into the first set 402 of DVD-video image data.

Figure 5 shows a flowchart 500 for giving effect to the combination or incorporation illustrated by the embodiment shown in figure 4. A determination is made at step 502 as to whether or not content protection is effective in respect of either of the first set 402 or second set 404 of DVD-Video data. If it is determined that such content protection is effective, processing passes to step 504 where a message indicating that the DVD-Video data sets 402 and 404 cannot be merged or combined due to content protection being effective.

If the determination at step 502 is that content protection is not effective, processing proceeds to step 506 where it is determined whether or not the video represented by, or contained within, the video title sets 406, 408, 412 and 414 are compatible, that is, whether or not they are all NTSC video or all PAL video, for example. If the determination at step 506 is that the video represented by, or contained within, the video title sets 406 to 414 are incompatible, a message is output to that effect at step 508 together with an indication that the merging or combining process cannot be completed.

10

If the determination at step 506 is that the video standards are compatible, processing proceeds to step 509a, where it is determined if the total number of VTSSs in the resulting merged DVD-video data would exceed a predetermined limit, which is 99 according to standards applicable to current technology, but which could equally well be some other limit. If it is determined that the total number of VTSSs would exceed the predetermined limit, a message to that effect is output at step 509b. If it is determined that the total number of VTSSs would not exceed the predetermined limit, processing proceeds to step 510 where the use of the GPRM registers of the first set 402 of DVD-video data is determined. The registers not used by the first set 402 of DVD-Video data are identified at step 512 as being available for use by the second set 404 of DVD-Video data. The entry points in the first set 402 of DVD-Video data are determined, that is, the entry points for the first 406 and second 408 video title sets are determined at step 514. Furthermore, at step 516, the exit points for the first 406 and second 408 video title sets of the first set 402 of DVD-Video image are identified.

The first set 402 of DVD-Video data is copied into, or combined with, the second set 404 of DVD-Video data at step 518. All exit points in the VTSSs of the first set 404 of DVD-Video data are replaced with navigation data that returns control to the video manager 410 of the second set 404 of DVD-Video data at step 520.

At step 522, the navigation data associated with the video manager 410 for accessing the first 406 and second 408 video title sets of the first set 402 of DVD-video image data are included in the video manager 410 or, more specifically, in the VMGI of the video manager 410 (contained in VIDEO\_TS.IFO).

It will be appreciated by one skilled in the art that modifying the VMGI comprises establishing appropriate start sector addresses to allow a navigation manager to identify the start sector addresses or entry points for the newly added video title sequences. In practice such modifications entail



11

doing a search-and-replace operation. The instructions that cause control to jump from one place to another are relative, if the jump is within a current VTS, and absolute if the jump is outside a current VTS. Thus, any jumps to outside of a current VTS must be reassigned to fit in with the new combined structure.

In the above embodiments, the incorporation is performed preferably using the authoring tool used to produce the first set 202 or 402 of DVD-Video data.

10 The reader's attention is directed to all papers and documents which are filed concurrently with or previous to this specification in connection with this application and which are open to public inspection with this specification, and the contents of all such papers and documents are incorporated  
15 herein by reference.

All of the features disclosed in this specification (including any accompanying claims, abstract and drawings) and/or all of the steps of any method or process so disclosed may be combined in any combination, except combinations where at least some of such features and/or steps are mutually exclusive.

Each feature disclosed in this specification (including any accompanying claims, abstract and drawings) may be replaced by alternative features serving the same, equivalent or similar purpose, unless expressly stated otherwise. Thus, unless  
25 expressly stated otherwise, each feature disclosed is one example only of a generic series of equivalent or similar features.

The invention is not restricted to the details of any foregoing embodiments. The invention extends to any novel one, or any novel combination, of the features disclosed in this specification (including any accompanying claims, abstract and drawings), or to any novel one, or any novel combination, of the steps of any method or process so  
35 disclosed.

12

## CLAIMS

1. A method for merging first and second data associated with first and second DVD-Video zone directories respectively; the method comprising the steps of: identifying the registers  
5 used by at least one of the first and second data; allocating use of the registers to at least one of the first and second data according to said identifying; and creating data associated with video manager information (VMGI) of the DVD-  
10 video disc image data to accommodate at least one of the first and second DVD-Video zones.
2. A method as claimed in claim 1 comprising the step of collating the first and second data to produce DVD-Video data.
3. A method as claimed in any preceding claim, in which at least one of the first and second data comprises at least one  
15 of a Group of Pictures, a Video Object, a Video Object Set, a Video Object Unit, a Cell, Program, Part\_of\_Title, Program Chain, Title, Navigation Pack, Video Pack, Audio Pack or DVD-Video disc image data.
4. A method as claimed in any preceding claim in which the  
20 step of creating comprises the step of creating menu data of video manager menu data (video\_ts.vob) to access at least one of the first and second data.
5. A method as claimed in any preceding claim, further comprising the step of establishing a backup copy of the data  
25 associated with the video manager information.
6. A method as claimed in claim 5 in which the step of establishing a backup copy of the data associated with the video manager information comprises the step of creating VMGI backup information (video\_ts.bup).
- 30 7. A method as claimed in any preceding claim in which the first and second data were created using respective, different, authoring tools or by different authors using the same tool.

13

8. A method as claimed in any preceding claim, further comprising, prior to the step of identifying, the step of determining whether or not at least one of the first and second data has associated copy protection.

5 9. A method as claimed in any preceding claim further comprising the step of creating the first data using a respective authoring tool and performing the steps of any preceding claim using that respective authoring tool.

10 11. A method for merging first and second video data (VTSs); the method comprising the steps of:

assessing potential use of a predeterminable resource by at least one of the first and second video data;

15 allocating use of the predeterminable resource to at least one of the first and second video data according to the step of assessing;

collating the first and second video data to create DVD-Video data; and

20 creating data associated with video manager information (VMGI) of the DVD-Video data to accommodate at least one of the first and second video data.

12. A data processing method as claimed in claim 11, in which the predeterminable resource is at least one of GPRM registers, titles and part titles.

25 13. A data processing method substantially as described herein with reference to and/or as illustrated in any of figures 2 to 5.

14. A data processing system comprising means to implement a method as claimed in any preceding claim.

30 15. A data processing system substantially as described herein with reference to and/or as illustrated in any of figures 2 to 5.

14

16. A computer program comprising executable code to implement a method or system as claimed in any preceding claim.

17. A computer program product comprising storage storing a  
5 computer program as claimed in claim 16.

15

**ABSTRACT****Data Processing System and Method**


Embodiments provide a method and system for merging DVD-video  
5 data.

(figure 2)

**THIS PAGE BLANK (USPTO)**

1/5

Figure 1




100

**THIS PAGE BLANK (USPTO)**



2/5


Figure 2

200

**THIS PAGE BLANK (USPTO)**

3/5

Figure 3




300

**THIS PAGE BLANK (USPTO)**

4/5


Figure 4



**THIS PAGE BLANK (USPTO)**

5/5

Figure 5



500

**THIS PAGE BLANK (USPTO)**

**THIS PAGE BLANK (USPTO)**